

## FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN FOR TAMARAK DAY CAMP

Name:		21.405
Allergy to:	Group:	PICTURE Bus: HERE
	c for a severe rea	
NOTE: Do not depend on antihistamines or inhale		
Evtramely reactive to the following ellergans		
Extremely reactive to the following allergens:  THEREFORE:		
If checked, give epinephrine immediately if the aller	gen was LIKELY e	eaten, for ANY symptoms.
If checked, give epinephrine immediately if the aller	gen was DEFINITI	ELY eaten, even if no symptoms are apparent.
FOR ANY OF THE FOLLOWING		
FOR ANY OF THE FOLLOWING:		MILD SYMPTOMS
SEVERE SYMPTOMS		
		NOSE MOUTH SKIN GUT
	MOUTH	Itchy or Itchy mouth A few hives, Mild
_	Significant welling of the	runny nose, mild itch nausea or sneezing discomfort
repetitive cough weak pulse, breathing or to dizziness swallowing	ongue or lips	FOR <b>MILD SYMPTOMS</b> FROM <b>More than one</b>
dizziness swanowing		SYSTEM AREA, GIVE EPINEPHRINE.
	OR A	
	OMBINATION of symptoms	FOR <b>MILD SYMPTOMS</b> FROM <b>A SINGLE SYSTEM</b> AREA, FOLLOW THE DIRECTIONS BELOW:
Many hives over Repetitive Feeling fi	rom different	Antihistamines may be given, if ordered by a
body, widespread vomiting, severe something bad is redness diarrhea about to happen,	body areas.	healthcare provider.
anxiety, confusion		2. Stay with the person; alert emergency contacts.
<u></u> Ф Ф		3. Watch closely for changes. If symptoms worsen, give epinephrine.
1. INJECT EPINEPHRINE IMMEDIAT	l r	3
2. <b>Call 911.</b> Tell emergency dispatcher the person is an anaphylaxis and may need epinephrine when emerge	-	MEDICATIONS/DOSES
responders arrive.		Epinephrine Brand or Generic:
<ul> <li>Consider giving additional medications following epir</li> <li>» Antihistamine</li> </ul>	nephrine:	
<ul><li>» Antinistamine</li><li>» Inhaler (bronchodilator) if wheezing</li></ul>		Epinephrine Dose: 0.15 mg IM 0.3 mg IM
Lay the person flat, raise legs and keep warm. If brea	-	Antihistamine Brand or Generic:
<ul> <li>difficult or they are vomiting, let them sit up or lie or</li> <li>If symptoms do not improve, or symptoms return, more</li> </ul>		Antihistamine Dose:
epinephrine can be given about 5 minutes or more after	11	Other (a. z. inhalas hannaha libitar if atha . i. )
Alert emergency contacts.		Other (e.g., inhaler-bronchodilator if wheezing):
• Transport patient to ER, even if symptoms resolve. Program in FR for at least 4 hours because symptoms		

	Tamarak Care Plan	for Severe Allei	gy – Part 2		
Individual Consid	derations for				
	Camper Name				
Loca	ation(s) where Epi-per	n/Rescue medicat	tions is/are stored:		
☐ Office	Backpack	on(s) where Epi-pen/Rescue medications is/are stored:  Backpack Don Camper Dounselor			
	□ Васкраск	□ On Car			
<u>Bus</u> – Bus counselors	will be alerted to car	nner's alleray			
<ul> <li>This camper carries Epi-</li> </ul>		·	nselor:		
·		_	camper boarding the bus.		
• The camper should rem • Other	ain with the unit leader d	uring the entire fiel	•		
	FOC	DD at CAMP			
Camper will sit at a spe	ecified allergy table (cam	p lunch only). Oth	ner:		
NO Restrictions.					
		s for safe food	choices:		
Only food provided by pare	ent will be permitted.				
Camp snacks approved by	parent.: Goldfish cr	ackers	ookies 🔲 Honeymaid graham cra		
s approved by parent: Du	ınkin Donuts Deerfield	Bakery Cupcake	es Cookies		
ptable labelling disclaimer:	"peanut/tree nut free f	acility" "proce	ssed in a facility" "may cont		
Alternative snacks will be p	provided by parent/guard	ian to be kept with	the nurse in:		
	<u>EMERGE</u>	NCY CONTACT	<u> </u>		
other:		Father:			
me Phone:	ione:		Home Phone:		
ell Phone:	ne:		Cell Phone:		
ork Phone:		Work Phone:			
ADDITIONAL EMERGE					
1.	Relation		Phone:		
2.	Relation	ship:	Phone:		
Parent signature gives per prescribed medicine and g			ication trained by the nurse, to admessary.		
Parent/Guardian Signature	<u> </u>		Date		
Camp Nurse Signature			Date		
Camb Nuise Signature			Date		

A copy of the Tamarak Care Plan for Severe Allergy will be kept in the nurse's office and available to all staff members who are involved with the camper.